PERGO® ORIGINAL LAMINATE



New - Ebeltoft stone tiles

Discover the details

Sharpness & imperfections

A refined structure technology brings out the imperfections in natural stone with sharpness and clarity. Details like cracks and fossils set into the stone make the realistic look complete.

A premium look

Ebeltoft offers a modern, high-end look highlighted by the absence of grouting between tiles. The subtle variations in gloss add character and reflect the light in a vivid, natural way to complete the exclusive impression.

Warm and smooth

Now you don't have to worry about the noise or hard feeling of a stone or ceramic floor anymore. Our Ebeltoft floors are comfortably smooth and warm to walk on.

Water-resistant and easy to install

Made for a carefree life the new Sensation floors have surface protection that covers the entire surface, even into the bevels. AquaSafe technology brings water-resistance, and the easy installation brings a perfect result with a couple of clicks.

Ebeltoft is everything we want a Pergo floor to be – made for real life.





Life is too short to worry about water!

The AquaSafe technology creates a sealed, 100% water-resistant surface, that extends all the way down into the bevels.

This efficiently prevents water from penetrating the floor.

And not only that, it makes your floor equally resistant to dirt and stains. Like water, they simply stay on the surface and can be wiped away easily.




With AquaSafe taking care of the floor, our accessories for a water-resistant finishing seal the deal on your new interior.

NEW ebeltoft

 $1200 \times 396 \times 8$ mm | 4-way bevel | Uniclic®












SOFT GREY CONCRETE **pro** L0253-05488

SMOKED BLUESTONE **pro** L0253-05484



Product information















Outstanding durability for the tough demands of everyday life

Class 33: Lifetime guarantee

FEATURES		pro
TitanX™		•
AquaSafe technology*		•
Uniclic®		•
Antistatic		•
Hygienic		•
Wood from sustainably managed forests, PEFC certified		•
Environmental Label Nordic Ecolabel and EU Ecolabel		•
Residential warranty**		Lifetime
TECHNICAL	STANDARD	
Class of use	EN 13329	33
Fire classification	EN 13501	Cfl-s1
Formaldehyde emission	EN 717-1	E1
VOC emission		Compliant
Wear resistance	EN 13329	AC5
Impact resistance	EN 17368	Small ball: ≥ 70 mm Big ball: ≥ 1000 mm
Resistance to castor chair (with underlay)	EN 13329	No damage
Slip resistance	EN 13893	Class DS
Thermal resistance	EN 12667	0.06 m ² K/W
Body voltage	EN 1815	≤ 2 kV (antistatic)

^{*} available with a 10-year wet guarantee

 $^{^{\}star\star}$ if full installation instructions (please see www.pergo.com) are not followed, the warranty is void.

	PANEL, mm		PACKAGES				
FORMATS	Length	Width	Thickness	Panels / pack	m² / pack	Pack / pallet	m² / pallet
Ebeltoft - Sensation, aquasafe	1200	396	8	4	1.901	40	76.03

Our floors look even better in real life!

Visit our website and order samples of your favourite designs.







pergo.com



